

LIVING WATER

Clean design to complement your home

OASE HighLine aquariums



Oase

Getting to know OASE

**HERE AT OASE, WE'VE ALWAYS HAD A PASSION FOR WATER AND FOR
AQUATIC ENVIRONMENTS AND DESIGN THAT MEET THE HIGHEST
POSSIBLE STANDARDS OF TECHNICAL PRECISION – EVER SINCE 1949.**

We are designers by trade and composers at heart, both when it comes to creating fascinating water scenes in gardens and aquariums and in the field of professional fountain and water technology. From idea to implementation, from function to fascination, from technical to biological – we offer innovative presentations, smart products, premium quality and pure convenience, all under one roof.



Where passion meets
perfection – the unique
underwater landscape of
the HighLine aquarium.

Content

HighLine aquariums

- 04 HIGHLINE – PLACING A PREMIUM ON STRAIGHT LINES
- 06 HIGHLINE AQUARIUMS – MORE THAN MEETS THE EYE
- 08 THE HIGHLINE ROOM DIVIDER AQUARIUM – PERFECT
IN EVERY WAY
- 10 HIGHLINE AQUARIUMS – CONFIGURATION
- 12 HIGHLINE AQUARIUMS – SIZES AND FINISHES

Accessories

- 16 THE SMART AQUARIUM
- 18 CLASSIC LIGHTING
- 19 PREMIUM LIGHTING
- 20 LIGHTING – TECHNICAL DATA
- 22 DRAWER ELEMENTS AND PULL-OUT SHELVES
- 23 BIOMASTER THERMO FILTER

HighLine – placing a premium on straight lines

Are you a fan of clean lines? Are you reluctant to compromise on equipment, technology, workmanship and design? Then our HighLine aquariums will make exactly the statement you want. HighLine sets a new standard for premium-quality aquariums.





HighLine aquariums – more than meets the eye



Internal and external values – how you can benefit from HighLine



FLUSH DESIGN

Straight lines. The aquarium and base cabinet feature an elegant push-to-open function, without intrusive door handles.

FULL ACCESS

The aluminium cover can be fully opened.

CONVENIENT FEEDING

Simply use the food flap to scatter food without opening the cover. Add extra convenience with the FishGuard feeder.

PERFECTLY TAILORED LIGHTING

High-quality LED lighting guarantees optimum plant growth. Choose between Premium LED and Classic LED (Classic: excludes HighLine 600).

OPTIWHITE-GLASS

Provides a perfect view of the underwater world.

STABLE AND SECURE

Adjustable feet ensure a firm footing. They can easily be adjusted inside the base cabinet at any time.

CONVENIENT STORAGE SPACE

Extendable drawer elements provide optimum access to the optional BioMaster external filter.

CONCEALED TECHNOLOGY

Floor outlet already integrated for an invisible filter connection.

The HighLine room divider aquarium – perfect in every way



Internal and external values – how you can benefit from your HighLine room divider aquarium



FLUSH DESIGN

Straight lines. The aquarium and base cabinet feature an elegant push-to-open function, without intrusive door handles.

BASE CABINET: ACCESSIBLE FROM BOTH SIDES

With doors on both sides, the cabinet offers plenty of storage space for accessories and guarantees an attractive appearance no matter which side you're standing.

FULL ACCESS

The aluminium cover can be fully opened.

ALL-ROUND VIEW

The black-painted side panel is positioned in such a way that you can see right through the aquarium.

OPTIWHITE-GLASS

Provides a perfect view of the underwater world.

CONVENIENT FEEDING

Simply use the food flap to scatter food without opening the cover. Add extra convenience with the FishGuard feeder.

PERFECTLY TAILORED LIGHTING

High-quality LED lighting guarantees optimum plant growth. Choose between Premium LED and Classic LED.

STABLE AND SECURE

Adjustable feet ensure a firm footing. They can easily be adjusted inside the base cabinet at any time.

CONVENIENT STORAGE SPACE

The base cabinet offers an integrated extendable drawer that provides optimum access to the optional external filter. The drawer can be customised so that you can choose which side to access it from.

CONCEALED TECHNOLOGY

Floor outlets are already integrated for an invisible filter connection.



As individual as you are. Configure your HighLine aquarium.

The choice is yours. Complete the following five simple steps to find your own HighLine solution – perfectly tailored to your living situation and preferences.



1

CHOOSE A SIZE

How much space do you have? HighLine offers six sizes, from compact tanks to spacious water landscapes.

- 125 litres
- 200 litres
- 400 litres
- 175 litres
- 300 litres
- 600 litres

2

CHOOSE A FINISH

Do you prefer clear lines or a more homely look? Four finishes are available.

- Matt Black*
- High-Gloss White
- High-Gloss Anthracite
- Natural Oak

* The Matt Black finish is available for the following sizes: 200, 300, 400 and 600.



3

CHOOSE THE LIGHTING

Light is life – and the lighting sets the mood. This is true for us humans, but in particular for the inhabitants of your aquarium. Our high-quality lighting options are a key element of your underwater worlds. OASE Control allows our Premium lighting to be controlled remotely or using a mobile phone if required.

- **HighLine Classic LED lighting kit**
- **HighLine Premium LED**
- **HighLine Premium LED lighting kit** (not available in GB)

4

CONFIGURE YOUR CABINET

You don't see them, but they perform a vital role. Optional interior fittings make day-to-day life with your aquarium easier.

- **Pull-out shelves**
- **Drawer elements**



5

CHOOSE THE FILTER

How much power do you want "under the bonnet"? You can choose between four different filters.

- **BioMaster Thermo 250** (for aquariums up to max. 250 l)
- **BioMaster Thermo 350** (for aquariums up to max. 350 l)
- **BioMaster Thermo 600** (for aquariums up to max. 600 l)
- **BioMaster Thermo 850** (for aquariums up to max. 850 l)



Further information on sizes, finishes, lighting and interior fittings can be found on the following pages.

HighLine aquariums

SIZES AND FINISHES



TECHNICAL DATA

MODEL	HIGHLINE OPTIWHITE 125	HIGHLINE OPTIWHITE 175	HIGHLINE OPTIWHITE 200	HIGHLINE OPTIWHITE 300	HIGHLINE OPTIWHITE 400	HIGHLINE OPTIWHITE 600
High-Gloss White finish						
High-Gloss Anthracite finish						
Natural Oak finish						
Matt Black finish	—	—				
Volume in l	125	175	202	302	413	580
Aquarium dimensions (L x W x H) in cm	50 x 50 x 50	70 x 50 x 50	90 x 50 x 49	115 x 50 x 56	140 x 50 x 63	160 x 60 x 65
Glass thickness in mm	8		10		12	12
Overall dimensions (L x W x H) in cm	50 x 50 x 157	70 x 50 x 157	90 x 50 x 125	115 x 50 x 132	140 x 50 x 139	160 x 60 x 142
Net weight in kg	66.80	82.60	123.50	145.50	196.00	210.00
Guarantee* in years	2					
Item number: High-Gloss White finish	87949	87956	87938	87939	87940	87978
Item number: High-Gloss Anthracite finish	87950	87966	87941	87942	87943	87982
Item number: Natural Oak finish	87953	87967	87945	87946	87947	87980
Item number: Matt Black finish	—	—	87934	87935	87937	87977

* Guarantee subject to OASE's guarantee conditions, which can be viewed at www.oase.com/garantie.

HighLine room divider aquariums

SIZES AND FINISHES



TECHNICAL DATA

MODEL	ROOM DIVIDER OPTIWHITE 300
High-Gloss White finish	
High-Gloss Anthracite finish	
Natural Oak finish	
Matt Black finish	
Volume in l	302
Aquarium dimensions (L x W x H) in cm	115 x 50 x 56
Glass thickness in mm	10
Overall dimensions (L x W x H) in cm	115 x 50 x 132
Net weight in kg	148
Guarantee* in years	2
Item number: High-Gloss White finish	87972
Item number: High-Gloss Anthracite finish	89068
Item number: Natural Oak finish	87973
Item number: Matt Black finish	87974



NEW DESIGN OPTIONS

The new room divider aquarium is an innovative concept for partitioning rooms in an attractive way. With access to the cabinet on both sides, the aquarium offers plenty of storage space and can be integrated into your home to suit your needs.

Admire your aquarium
from different
perspectives.

* Guarantee subject to OASE's guarantee conditions, which can be viewed at www.oase.com/garantie.

The smart aquarium

The ideal multi-purpose accessory: Your HighLine aquarium is an exquisite piece of design. The OASE control system, developed by OASE, means that it is also a smart, high-tech product. Our convenient and easy-to-use app provides you with numerous options for illuminating and staging your underwater world as if it were actually in nature.





THE AQUARIUM CONTROLLER – THE HEART OF SMART LIGHT CONTROL

The Aquarium Controller even allows you to control your HighLine Premium LEDs down to individual segments. The Controller is the heart of the system, keeping the connected devices running smoothly. Even when you're on holiday or on the move, the system will keep you updated before your underwater world gets out of balance. OASE is constantly working to improve the system, and regular app updates mean that you always have access to the latest developments. This smart solution ensures that you'll always have the latest innovations at your fingertips.

Find out more:
WWW.OASE.COM/OASE-CONTROL

Classic lighting

HIGH-QUALITY LED TECHNOLOGY IN A SET – THE COMPREHENSIVE SOLUTION FOR YOUR AQUARIUM



LIGHTING KIT

Comes as a complete kit with LED lamp and brackets.

DURABLE QUALITY

LEDs with IP68 protection, fitted in glass tubes.

OPTIMUM ILLUMINATION

Full sunlight spectrum for good plant growth.

PRACTICAL

Switch on and off via toggle switch on cable.

ENERGY-EFFICIENT

The modern LED technology means that the lamps use less energy.

NATURAL-LOOKING COLOUR RENDERING

Tailored daylight spectrum with a constant colour temperature of 6500 Kelvin for aquarium inhabitants and plants.



Premium lighting



**THE IDEAL CHOICE FOR YOUR AQUARIUM –
CONTROLLABLE VIA OASE AQUARIUM CONTROLLER OR IR CONTROL**



ALSO AVAILABLE AS A KIT

Also available as a kit with all the necessary connections, for those who prefer to purchase perfection as a package.

DURABLE QUALITY

100 % waterproof construction (IP68) protects LEDs against external influences – and you from having to make new purchases.

CAN BE CONVENIENTLY CONTROLLED THROUGH YOUR SMARTPHONE OR TABLET

Even more convenient – use the optionally available OASE Aquarium Controller or IR Control for more ways to control your lighting. This allows you to control the lighting conveniently through your tablet or smartphone.

RICH COLOURS

Ideal for the different lighting requirements of aquarium inhabitants and plants. LED colours (neutral white, cold white, royal blue, red) allow a wide, natural colour spectrum

CONSTANT BRIGHTNESS

Thanks to state-of-the-art lighting technology, the OASE HighLine Premium LEDs provide consistently bright light for almost their entire service life.

LIGHT AT THE TOUCH OF A BUTTON

The IR Control Set with handy remote control and pre-set daily schedules controls colour and brightness. Includes integrated timer.

STATE-OF-THE-ART MODULES

State-of-the-art LED technology with segments that can be controlled separately for individual lighting effects.

THREE INSTALLATION OPTIONS

The height at which you suspend your lighting will also affect the lighting effect. The HighLine Premium LED solution offers three different options.



Lighting

TECHNICAL DATA



TECHNICAL DATA FOR HIGHLINE CLASSIC LED LIGHTING KIT

SUITABLE FOR	HIGHLINE 125	HIGHLINE 175	HIGHLINE 200	HIGHLINE 300 ROOM DIVIDER 300	HIGHLINE 400
					
MODEL	125	175	200	300	400
Lamp power consumption in W	8	12	16	18	28
Power consumption of set in W	16	24	32	36	56
Energy efficiency class of lamp	E				
Weighted energy consumption per lamp in kWh/1000 h	8	12	16	18	28
Protection class	IP68				
Rated voltage	220–240 V/50–60 Hz				
Dimensions (Ø × H) in mm	24 × 400	24 × 600	24 × 700	24 × 1015	24 × 1200
Power cable length in m	1.80				
Net weight in kg	1.30	1.70	2.00	2.50	2.90
Guarantee* in years	2	2	2	2	2
Bulb type	LED				
Number of individual LEDs	42		45		90
Light colour	Daylight white				
Colour temperature in K	6500				
Beam angle in degrees	60				
Suitable for freshwater	Yes				
Item number	70244 70249 (GB)	70245 70250 (GB)	70246 70251 (GB)	70247 70252 (GB)	70248 70253 (GB)

* Guarantee subject to OASE's guarantee conditions, which can be viewed at www.oase.com/garantie.

TECHNICAL DATA FOR HIGHLINE PREMIUM LED LIGHTING



SUITABLE FOR	HIGHLINE 125	HIGHLINE 175	HIGHLINE 200	HIGHLINE 300 ROOM DIVIDER 300	HIGHLINE 400	HIGHLINE 600
						
MODEL	45	65	80	100	120	120
Lamp power consumption in W	30	47	67	83	105	105
Energy efficiency class of lamp	G					
Weighted energy consumption per lamp in kWh/1000 h	30	47	67	83	105	105
Protection class	IP68					
Rated voltage	24 V/DC					
Dimensions (L x W x H) in mm	440 x 100 x 15	640 x 100 x 15	830 x 100 x 15	1040 x 100 x 15	1330 x 100 x 15	1330 x 100 x 15
Power cable length in m	3.00					
Guarantee (+ request guarantee)*	3 (+ 1)	3 (+ 1)	3 (+ 1)	3 (+ 1)	3 (+ 1)	3 (+ 1)
Compatible with OASE Control	Yes					
Bulb type	High Power SMD LEDs					
LED assembly	White (4000 K), White (6000 K), Red, Royal Blue					
Beam angle in degrees	120					
Suitable for freshwater	Yes					
Item number	33892	33893	33894	33895	33896	33896

TECHNICAL DATA FOR HIGHLINE PREMIUM LED KIT



PREMIUM LED KIT	HIGHLINE 125	HIGHLINE 175	HIGHLINE 200	HIGHLINE 300 ROOM DIVIDER 300	HIGHLINE 400	HIGHLINE 600
Individual components	2x Model 45 1x transformer 1x adapter	2x Model 65 1x transformer 1x adapter	2x Model 80 2x transformer	2x Model 100 2x transformer	2x Model 120 2x transformer	2x Model 120 2x transformer
Item number **	77229	77230	77231	77232	77233	77233

* Guarantee subject to OASE's guarantee conditions, which can be viewed at www.oase.com/garantie.

** not available in GB

Drawer elements and pull-out shelves



Item number HighLine drawer element

45045

The storage space can optionally be upgraded to include up to two drawers. The first drawer is mounted on the existing pull-out shelf. Another shelf is needed for the second drawer.



Item number HighLine 125 pull-out shelf

70185

Item number HighLine 175 pull-out shelf

70186

Item number HighLine 200 pull-out shelf

45046

Item number HighLine 300 pull-out shelf *

46198

Item number HighLine 400 pull-out shelf

46199

Item number HighLine 600 pull-out shelf

88520



* except HighLine room divider 300.

BioMaster Thermo filter



SAFE AND PRACTICAL

No more dismantling the filter! The EasyClean pre-filter module can be removed, rinsed and replaced. The venting button ensures easy start-up after cleaning.

QUIET AND ECONOMICAL

The pump runs quietly, with no disturbing noise – and it also saves energy.

STURDY AND CLEAN

The combination of mechanical and highly effective biological filtration ensures healthy and clear aquarium water.

TECHNICAL DATA

MODEL	THERMO 250	THERMO 350	THERMO 600	THERMO 850
Suitable for aquariums up to max. (in l)	250	350	600	850
Dimensions (L x W x H) in mm	240 x 240 x 370	240 x 240 x 425	240 x 240 x 480	240 x 240 x 535
Rated voltage	230 V/50 Hz			
Power consumption filter + heater in W	15 + 150	18 + 200	22 + 300	32 + 400
Net weight in kg	5.20	5.60	6.20	6.80
Guarantee (+ request guarantee)*	3 (+ 1)			
Max. flow rate (litres per hour)	900	1100	1250	1550
Max. head height, metres	1.30	1.40	1.80	2.20
Hose (quantity/length)	1 unit/4 m			
Connection for hoses (ø inner/outer) in mm	16/22			
Filter volume in l	4.4	5.6	6.8	8
Pre-filter volume in l	0.40	0.50	0.60	
Suitable for freshwater	Yes			
Suitable for saltwater	Yes			
Item number	42737 42745 (GB)	42738 42746 (GB)	42739 42747 (GB)	77108 77121 (GB)

* Guarantee subject to OASE's guarantee conditions, which can be viewed at www.oase.com/garantie.

FSC

carbon neutral

OASE GmbH
Tecklenburger Str. 161
48477 Hörstel
Germany

OASE hotline +49 5454 933949-10
(Charged at your tariff from the German landline network and/or your mobile network tariff)

www.oase.com

The products shown/offered are exclusively intended for the stated purpose. Catalogue pictures do not represent a product description in the sense of contractually owed properties. Minor deviations from photographed products do not constitute a defect. The publication of this catalogue renders all older catalogue versions invalid. Use of our image data is only permitted after our prior written permission from OASE. Our General Terms of Sale apply; these can be downloaded at www.oase.com.

62077/11-21 AP